# MAXIUM STRENGTH SEVERE CONGESTION AND COUGH MAX- dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride liquid Discount Drug Mart

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## Drug Facts Active ingredients (in each 20 mL)

Dextromethorphan HBr, USP 20 mg Guaifenesin, USP 400 mg Phenylephrine HCL, USP 10 mg

## Purpose

Cough Suppressant

**Expectorant** 

Naasal Decongestant

## Keep out of reach of children.

**Keep out of reach of children**. In case of overdose, get medical help or contact a Poison Control Center right away.

### Uses

- help loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes
- temporarily relieves these symptoms occuring with a cold:
- cough due to minor throat and bronchial irritation
- nasal congestion

### Warnings

### DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING.

#### Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### Ask a doctor before use if you have

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland

- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough that occurs with too much phlegm (mucus)

## When using this product

• do not use more than directed

### Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or are accompanied by a fever
- Cough comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious condition.

## If pregnant or breast-feeding,

ask a health professional before use.

#### **Directions**

- take only as recommended
- use dosage cup
- mL = milliliter
- do not take more than 6 doses in any 24-hour period

Age	Dose
Adults and children 12 years and older	20 mL every 4 hours
Children under 12 years of age	Do not use

#### Other information

- each 20 mL contains: sodium 10 mg
- dosage cup provided
- store between 15°-30°C (59°-86°F)
- do not refrigerate

### **Inactive ingredients**

Anhydrous citric acid, edetate disodium, FD and C Blue # 1, FD and Red # 40, glycerin, flavors, glycerin, , propylene glycol, propyl gallate, purified water, sodium benzoate, sorbitol, sucralose, Xanthan gum

### Questions?

Call weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5944

## DISCOUNT drug mart FOOD FAIR MAXIUM STRENGTH SEVERE CONGESTION & COUGH MAX product label

\*COMPARE TO THE ACTIVE INGREDIENTS IN MUCINEX® FAST-MAX™ SEVERE CONGESTION AND COUGH

LF-011

DISCOUNT

drug mart

**FOOD FAIR** 

### **MAXIUM STRENGTH SEVERE CONGESTION & COUGH MAX**

Dextromethorphan HBr/ Guaifenes in / Phenylephrine HCL

**COUGH SUPPRESSANT/** 

**EXPECTORANT/** 

NASAL DECONGESTANT

Controls Cough

Thins & Loosens mucus

Relieves Nasal & Chest Congestion

Adults

For Ages 12 & Over

6 FL OZ (177 mL)

\* This product is not manufactured or distributed by Reckitt Benckiser Inc., distributor of MUCINEX® FAST-MAX $^{\text{TM}}$  SEVERE CONGESTION AND COUGH

LB - 011 LOT: EXP:

Peel Corner to Read Complete Drug Facts and Information

SATISFACTION GUARANTEED

IF DISSASIFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256



\*COMPARE TO THE ACTIVE INGREDIENTS IN MUCINEX® FAST-MAX™ SEVERE CONGESTION & COUGH LF-011

## MAXIMUM STRENGTH SEVERE CONGESTION & COUGH MAX

Dextromethorphan HBr / Guaifenesin / Phenylephrine HCI

COUGH SUPPRESSANT / EXPECTORANT / NASAL DECONGESTANT

Controls Cough Thins & Loosens Mucus Relieves Nasal & Chest Congestion Adults + + + + + + For Ages 12 & Over 6 FL OZ ( 177 mL )

> Peel Corner to Read Complete Drug Facts and Information



DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

LB-011



## Drug Facts

#### Active Purpose ingredients (in each 20 mL)

Dextromethorphan HBr 20 mg.. . Cough suppressant Guaifenesin 400 mg....Expectorant Phenylephrine HCl 10 mg.... .. Nasal Decongestant

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes
- temporarily relieves these symptoms occurring with a cold:
- cough due to minor throat and bronchial irritation
- nasal congestion

### Warnings

Do not use # for children under 12 years of age

 if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a

## Drug Facts (continued)

doctor or pharmacist before taking this product.

#### Ask a doctor before use if you have

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that lasts or is chronic such as occurs with smoking. asthma, chronic bronchitis or emphysema.

  cough that occurs with too
- much phlegm (mucus)

#### When using this product do not use more than directed

## Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or are
- accompanied by a fever cough comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious condition.

Lot Exp:

## *racts* (continued)

ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

## **Directions**

- take only as recommended
- use dosage cup
- mL = milliliter
- do not take more than 6 doses in any 24-hour period

Age	Dose
Adults & children 12 years and older	20 mL every 4 hours
Children under 12 years of age	Do not use

## Other information

- each 20 mL contains: sodium 10 mg
- dosage cup provided
- store between 15-30°C (59-86°F)
- do not refrigerate

## Drug Facts (continued)

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C Blue #1, FD&C Red #40, flavors, glycerin, propylene glycol, propyl gallate, purified water, sodium benzoate, sorbitol, sucralose, Xanthan gum

Questions? Call weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5944

\* This product is not manufactured or distributed by Reckitt Benckiser Inc., distributor of Mucinex® FAST-MAX™ Severe Congestion & Cough

SATISFACTION GUARANTEED
IF DISSATISFIED, RETURN UNUSED
PORTION AND PACKAGE TO STORE
WHERE PURCHASED. IF UNABLE TO
RETURN TO STORE, SEND REASON
FOR DISSATISFACTION, NAME,
ADDRESS AND EMPTY PACKAGE TO:
DISCOUNT DRUG MART, 211
COMMERCE DRIVE, MEDINA, OHIO
44256

NDC:53943-517

## MAXIUM STRENGTH SEVERE CONGESTION AND COUGH MAX

dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride liquid

Product	Infor	matian
FIULIE		IIIAIIUII

Product Type HUMAN OTC DRUG Item Code (Source)

Route of Administration	ORAL
-------------------------	------

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9 D2RTI9 KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL	
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg in 20 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)		
EDETATE DISO DIUM (UNII: 7FLD9 1C8 6 K)		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6A3C0OX)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
PROPYL GALLATE (UNII: 8 D4SNN7V92)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SORBITOL (UNII: 506T60A25R)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		
XANTHAN GUM (UNII: TTV12P4NEE)		

l	Packaging			
ı	# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
ı	1 NDC:53943-517-25	177 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/10/2013	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	12/10/2013	

## Labeler - Discount Drug Mart (047741335)

Revised: 12/2020 Discount Drug Mart